



# DSS E-Shelving



## (Elements & Economy Shelving)




Create your ideal custom shelving again and again with the lightweight, easy to assemble and adjust DSS E-Shelving.

DSS E-Shelving allows operators to quickly and easily create the perfect configurations for dry storage, coolers, and freezers, with a lifetime guarantee against rust and corrosion.


Incredibly durable composite plastic, holding up to 1000 kg per unit, with removable traverses to adjust heights and clean completely.

Units can share a single post in a straight line without losing weight capacity. Optional corner connectors allow units to share a single post in an L-shape, U-shape, or T-shape with minimal loss in capacity.

Level up your storage to a hygienic, truly lifelong solution to storage with DSS E-Shelving !




# Specific Feature

- 
- ◆ Lifetime guarantee against corrosion and rust
  - ◆ Ideal storage for walk-ins, freezers, or dry storage
  - ◆ Available with 4 or 5 sets of traverses (4 or 5-shelf units)
  - ◆ Choose from all vented shelves or vented with one solid shelf
  - ◆ Shelf plates easily wipe clean or fit through a commercial dishwasher
  - ◆ Vented shelves allow for maximum airflow around perishable products
  - ◆ Designed to share posts, simplifying assembly and maximizing storage space
  - ◆ Weight capacity: 250 kg per shelf; 1000 kg per unit
  - ◆ Made from smooth composite plastic that resists peeling and scratching
  - ◆ Withstands -36°F (-38°C) to 190°F (88°C)
  - ◆ Dishwasher safe

# Product Material

Column and traverse are made of composite material, high strength, good chemical resistance.



The shelf plate is made of modified material, has good toughness and aging resistance.



Post connector and other accessories are made of Nylon material.

# Product Combination

## Size chart




Starter Unit

Mobile Unit

Length	760mm(30")	910mm(36")	1060mm(42")	1220mm(48")
	1370mm(54")	1525mm(60")	1825mm(72")	
width	455mm(18")	530mm(21")	610mm(24")	
Height for Starter Unit	1600mm(64")	1800mm(72")	2000mm(80")	
Height for Mobile Unit	1690mm(64")	1890mm(72")	2090mm(80")	

## Basic Unit




Bacis Unit

Components of composite shelving can be combined to form a variety of specifications of the basic unit.

# Product Combination

## Add-on Unit




Column for common using when add-on unit is added to basic unit

## Mobile Unit



Assembling the 5" with brake casters on basic unit  
( two casters with brake, two casters without brake )

# Product Combination




**Corner Unit**



Using the corner connectors to the basic unit to form the corner unit

Model:DCC

**U-shaped Unit**



For the maximum the use of space, it consists of two basic units and one add-on unit.

# Vented Starter Units



**Height: 1600 mm**

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSEVSU301864	DSEVSU361864	DSEVSU421864	DSEVSU481864	DSEVSU541864	DSEVSU601864	DSEVSU721864
530mm (21")	DSEVSU302164	DSEVSU362164	DSEVSU422164	DSEVSU482164	DSEVSU542164	DSEVSU602164	DSEVSU722164
610mm (24")	DSEVSU302464	DSEVSU362464	DSEVSU422464	DSEVSU482464	DSEVSU542464	DSEVSU602464	DSEVSU722464

**Height: 1800 mm**

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSEVSU301872	DSEVSU361872	DSEVSU421872	DSEVSU481872	DSEVSU541872	DSEVSU601872	DSEVSU721872
530mm (21")	DSEVSU302172	DSEVSU362172	DSEVSU422172	DSEVSU482172	DSEVSU542172	DSEVSU602172	DSEVSU722172
610mm (24")	DSEVSU302472	DSEVSU362472	DSEVSU422472	DSEVSU482472	DSEVSU542472	DSEVSU602472	DSEVSU722472

**Height: 2000 mm**

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSEVSU301880	DSEVSU361880	DSEVSU421880	DSEVSU481880	DSEVSU541880	DSEVSU601880	DSEVSU721880
530mm (21")	DSEVSU302180	DSEVSU362180	DSEVSU422180	DSEVSU482180	DSEVSU542180	DSEVSU602180	DSEVSU722180
610mm (24")	DSEVSU302480	DSEVSU362480	DSEVSU422480	DSEVSU482480	DSEVSU542480	DSEVSU602480	DSEVSU722480



# Solid Starter Units



**Height: 1600 mm**

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSESSU301864	DSESSU361864	DSESSU421864	DSESSU481864	DSESSU541864	DSESSU601864	DSESSU721864
530mm (21")	DSESSU302164	DSESSU362164	DSESSU422164	DSESSU482164	DSESSU542164	DSESSU602164	DSESSU722164
610mm (24")	DSESSU302464	DSESSU362464	DSESSU422464	DSESSU482464	DSESSU542464	DSESSU602464	DSESSU722464

**Height: 1800 mm**

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSESSU301872	DSESSU361872	DSESSU421872	DSESSU481872	DSESSU541872	DSESSU601872	DSESSU721872
530mm (21")	DSESSU302172	DSESSU362172	DSESSU422172	DSESSU482172	DSESSU542172	DSESSU602172	DSESSU722172
610mm (24")	DSESSU302472	DSESSU362472	DSESSU422472	DSESSU482472	DSESSU542472	DSESSU602472	DSESSU722472

**Height: 2000 mm**

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSESSU301880	DSESSU361880	DSESSU421880	DSESSU481880	DSESSU541880	DSESSU601880	DSESSU721880
530mm (21")	DSESSU302180	DSESSU362180	DSESSU422180	DSESSU482180	DSESSU542180	DSESSU602180	DSESSU722180
610mm (24")	DSESSU302480	DSESSU362480	DSESSU422480	DSESSU482480	DSESSU542480	DSESSU602480	DSESSU722480

# Vented Add-On Units



## Height: 1600 mm

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSEVAU301864	DSEVAU361864	DSEVAU421864	DSEVAU481864	DSEVAU541864	DSEVAU601864	DSEVAU721864
530mm (21")	DSEVAU302164	DSEVAU362164	DSEVAU422164	DSEVAU482164	DSEVAU542164	DSEVAU602164	DSEVAU722164
610mm (24")	DSEVAU302464	DSEVAU362464	DSEVAU422464	DSEVAU482464	DSEVAU542464	DSEVAU602464	DSEVAU722464

## Height: 1800 mm

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSEVAU301872	DSEVAU361872	DSEVAU421872	DSEVAU481872	DSEVAU541872	DSEVAU601872	DSEVAU721872
530mm (21")	DSEVAU302172	DSEVAU362172	DSEVAU422172	DSEVAU482172	DSEVAU542172	DSEVAU602172	DSEVAU722172
610mm (24")	DSEVAU302472	DSEVAU362472	DSEVAU422472	DSEVAU482472	DSEVAU542472	DSEVAU602472	DSEVAU722472

## Height: 2000 mm

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSEVAU301880	DSEVAU361880	DSEVAU421880	DSEVAU481880	DSEVAU541880	DSEVAU601880	DSEVAU721880
530mm (21")	DSEVAU302180	DSEVAU362180	DSEVAU422180	DSEVAU482180	DSEVAU542180	DSEVAU602180	DSEVAU722180
610mm (24")	DSEVAU302480	DSEVAU362480	DSEVAU422480	DSEVAU482480	DSEVAU542480	DSEVAU602480	DSEVAU722480

# Solid Add-On Units



## Height: 1600 mm

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSESAU301864	DSESAU361864	DSESAU421864	DSESAU481864	DSESAU541864	DSESAU601864	DSESAU721864
530mm (21")	DSESAU302164	DSESAU362164	DSESAU422164	DSESAU482164	DSESAU542164	DSESAU602164	DSESAU722164
610mm (24")	DSESAU302464	DSESAU362464	DSESAU422464	DSESAU482464	DSESAU542464	DSESAU602464	DSESAU722464


## Height: 1800 mm

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSESAU301872	DSESAU361872	DSESAU421872	DSESAU481872	DSESAU541872	DSESAU601872	DSESAU721872
530mm (21")	DSESAU302172	DSESAU362172	DSESAU422172	DSESAU482172	DSESAU542172	DSESAU602172	DSESAU722172
610mm (24")	DSESAU302472	DSESAU362472	DSESAU422472	DSESAU482472	DSESAU542472	DSESAU602472	DSESAU722472


## Height: 2000 mm

Length	760 mm (30")	910 mm (36")	1060 mm (42")	1220 mm (48")	1370 mm (54")	1525 mm (60")	1825 mm (72")
Width	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.	Item No.
455mm (18")	DSESAU301880	DSESAU361880	DSESAU421880	DSESAU481880	DSESAU541880	DSESAU601880	DSESAU721880
530mm (21")	DSESAU302180	DSESAU362180	DSESAU422180	DSESAU482180	DSESAU542180	DSESAU602180	DSESAU722180
610mm (24")	DSESAU302480	DSESAU362480	DSESAU422480	DSESAU482480	DSESAU542480	DSESAU602480	DSESAU722480


# Spare Parts & Accessories



5"with brake casters with/ without brak  
Model:DS/DSL



Corner Unit  
Model:DCC




Post Connectors



Stationary Post Kits



Post Connector Wedge



Stationary Traverse Dovetails



**DK Resources International Ltd**

## **Distributed & Marketed by:**

### **DK Resources International Ltd.**

Room 105, 1/F., Fo Tan Industrial Building, 26-28 Au Pui Wan Street, Fo Tan,  
Sha Tin, New Territories, Hong Kong

Tel: +852-68906866; +65-90180938; +86-13710298668

Fax: +65-62342036

Website: <http://www.dss-products.com>

v2 (05/22)